



Jowat-Toptherm®

852.00



**Modern hot melt adhesive for the bonding of trays,
cases and folding boxes**

Universal use in standard applications

Clean processing

High resistance to cold



Jowat-Toptherm® 852.00 provides valuable benefits in a wide range of standard packaging applications.

Jowat-Toptherm® 852.00 offers sound universal characteristics and clean processing. As an entry to the innovative **Jowat-Toptherm®** technology, the modern hot melt adhesive can contribute to an increase in process efficiency and help reduce total costs. Processors benefit directly from reduced expenses thanks


to the lower application amounts possible with **Jowat-Toptherm® 852.00**. An even greater benefit can be gained due to the clean processing characteristics. The high oxidation stability of the adhesive in the melt reduces standstills and maintenance work caused by soiling.

Jowat-Toptherm® 852.00 has become established not only in standard processes: Companies in the frozen food industry are also using the adhesive with great success.

Jowat-Toptherm® 852.00

Modern hot melt adhesive for the bonding of trays, cases and folding boxes.

Short pressing time & high restoring forces	● ● ○
Clean processing	● ● ○
Demanding surfaces	● ● ○
Heat resistance	● ● ○
Cold resistance	● ● ●
Environmental benefits	● ● ○
Food safety	EU 10/2011 FDA 175.105



The information given in this leaflet is based on test results from our laboratories as well as on experience gained in the field, and does in no way constitute any guarantee of properties. Due to the wide range of different applications, substrates, and processing methods beyond our control, no liability may be derived from these indications nor from the information provided by our free technical advisory service. Before processing, please request the corresponding data sheet and observe the information in it! Customer trials under everyday conditions, testing for suitability at normal processing conditions, and appropriate fit-for-purpose testing are absolutely necessary. For the specifications as well as further information, please refer to the latest technical data sheets.